



## FA-E Flang adapters

Separation system for food industries



**Bakker Magnetics**

Always ahead.

## Datasheet Bakker Magnetics

### FA-E Flang adapters

**version 1.0**

- Execution : Flange adapters type FA-E  
According to FDA and EHEDG standards  
Sturdy construction  
Pre drilled flanges
- Material : Stainless steel 1.4404
- Sealing : Silicone, 40 shore (FDA approved)  
Transparent
- Surface treatment : Polished

Suitable for all the separation systems of Bakker Magnetics for the food industry.

- MBM-E Magbox Housing
- MBM/A-E Magbox Semi-automatic
- BKM-E Chute magnet
- BKM/HP Chute magnet high pressure
- PMM Power-mag magnet
- PMM/A Power-mag automatic

Also available:

- Other sizes available on request

#### **Flang adapter Standard version (FA-E)**

Article number	NW	A square	B square	C
25.910	80	150	230	100
25.911	100	150	230	85
25.912	125	150	230	65
25.913	150	150	230	50
25.914	200	200	280	65
25.915	250	250	330	75
25.916	300	300	380	85
25.917	350	400	480	160
25.918	400	400	480	135
25.919	450	500	580	200
25.920	500	500	580	160

Sizes and dimensions (in mm) as shown on the drawing on the last page.

For more information or questions please contact us:

**Bakker Magnetics**

Sciencepark Eindhoven 5502  
5692 EL Son, The Netherlands

Division: Magnetic Separation Technology

Phone : +31 (0) 40 2 678 840

Mail : [mst@baktermagnetics.com](mailto:mst@baktermagnetics.com)

*Dimensions and shape of the magnet, in combination with required manufacturing processes, may cause the magnetic and physical characteristics to vary from typical values. Therefore, all data presented in this document are for general reference only and should not be relied upon to represent standard characteristics, nor are they guaranteed upon use. Bakker Magnetics reserves the right to change information in this document, including magnet performance standards, specifications, and characteristics without notice.*



Always ahead.

