



FA-E Flens adapters

Ontijzeringsstelsel voor de voedingsmiddelen industrie



Bakker Magnetics

Always ahead.

Datasheet Bakker Magnetics

FA-E Flens adapters

versie 1.0

- Uitvoering : Flens adapter type FA-E
Volgens de FDA en EHEDG richtlijnen
Robuuste constructie
Voorgeboorde flenzen
- Materiaal : Roestvrij staal 1.4404
- Afdichting : Silicone, 40 shore (FDA gekeurd)
Transparant
- Oppervlakte behandeling : Gepolijst

Geschikt voor alle ontijzeringssystemen van Bakker Magnetics voor de voedingsmiddelen industrie.

- MBM-E Magbox Huis
- MBM/A-E Magbox Semi-automatisch
- BKM-E Buitenkern magneet
- BKM/HP-E Buitenkern magneet high pressure
- PM-E Power-mag magneet
- PM/A-E Power-mag automatisch

Tevens beschikbaar:

- Andere afmetingen op verzoek

Flens adapter Standaard versie (FA-E)

Artikelnummer	NW	A vierkant	B vierkant	C
25.910	80	150	230	100
25.911	100	150	230	85
25.912	125	150	230	65
25.913	150	150	230	50
25.914	200	200	280	65
25.915	250	250	330	75
25.916	300	300	380	85
25.917	350	400	480	160
25.918	400	400	480	135
25.919	450	500	580	200
25.920	500	500	580	160

Alle afmetingen (in mm) zoals afgebeeld in de tekening op de laatste pagina.



Bakker Magnetics

Always ahead.

Voor meer informatie of vragen kunt u contact met ons opnemen:

Bakker Magnetics

Sciencepark Eindhoven 5502
5692 EL Son, The Netherlands

Afdeling : Magnetic Separation Technology

Telefoon: +31 (0) 40 2 678 840

E-Mail : mst@bakkermagnetics.com

Dimensions and shape of the magnet, in combination with required manufacturing processes, may cause the magnetic and physical characteristics to vary from typical values. Therefore, all data presented in this document are for general reference only and should not be relied upon to represent standard characteristics, nor are they guaranteed upon use. Bakker Magnetics reserves the right to change information in this document, including magnet performance standards, specifications, and characteristics without notice.



Always ahead.

